"I intend moving the Hon'ble High Court of Mysore to enrol me as an advocate thereof."

M. L. SREEKANTIAH.

"I intend moving the High Court of Mysore to enrol me as an Advocate of that Court."

A. SHAMANNA.

NOTICE.

The Mysore Government State Loan Bond No. 011953 of 6½ per cent loan of 1940 for Rs. 12-8-0 originally standing in the name of Sampiah, son of Ajja Veeriah and last endorsed to K. Krishnappa, son of Subbiah, the proprietor, by whom it was never endorsed to any person, having been lost, notice is hereby given that payment of the bond and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore, and that application is made for the issue of duplicate in favour of the proprietor,

The public are cautioned against purchasing or otherwise dealing with the above mentioned bond.

Name of person notifying :—

Bangalore, K. KRISHNAPPA,

8th July 1939. *Residence No.* 21, *Police Station Road, Basavangudi P. O., Bangalore*

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 759-80, *dated* 12*th July* 1939.

To

The Firms dealing in Ball Frames.

Enquiry No. 3540.

BALL FRAMES REQUIRED DURING 1939-40.

GENTLEMEN,

Please intimate your best present day price for free delivery at the several Railway Stations in the State for the supply of Ball Frames of the following specifications :—

Ball Frame, measuring $11\frac{1}{2}'' \times 11\frac{1}{2}''$ inside and $13\frac{3}{4}'' \times 13\frac{3}{4}''$ outside, frame work, $1\frac{1}{8}'' \times \frac{3}{4}''$, strong joints at corners, supported by a couple of screws.

Balls ten rows of ten each, same colour in each row, but different colour in different rows. Diameter $\frac{1}{2}'' \times 2'5''$ must slide easily on wires which must be strong and elastic.

Rests at the bottom to place the whole frame on the table.

The price to be quoted should hold good for a period of one year from the date of letting the contract. Your quotation should reach this office on or before 31st July 1939.

No. S. P. C. 1320-69, *dated* 15*th July*, 1939.

To

The Firms dealing in Machinery.

Enquiry No. 3551.

SHAPING MACHINE FOR GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Shaping Machine for Government Electric Factory," with the above enquiry number.

This enquiry will be closed on the 14th August 1939.

Schedule.

		Quantity
1.	High speed shaping machine 24" stroke with standard accessories such as swivel, base machine vice for heavy duty and all necessary handles and spanners ..	*One*
2.	Swivelling Table to be arranged to swivel 360°	*One*

N.B.—(1) The prices to be quoted should be for delivery f.o.r. Bangalore and alternatively for delivery c.i.f, Madras, inclusive of war risk insurance charges.

(2) The names of the manufacturers of the machines offered should be clearly mentioned.
(3) Illustrative leaflets of the machinery offered should be furnished with the quotation.

No. S. P. C. 1384-92, *dated* 14*th July* 1939.

To

The Firms dealing in Stationery Articles.

Enquiry No. 3553.

STATIONERY ARTICLES REQUIRED FOR THE MYSORE STATE RAILWAY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Stationery articles required for the Mysore State Railway," with the above enquiry number.

This enquiry will be closed on the 26th July 1939.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Nibs, Relief	230 gross	*Mysore* (Under Railway Marterial Certificate).	
2	„ Waverly	45 „		
3	Paper, white, ruled $13\frac{1}{2}'' \times 16\frac{1}{2}''$	1 ream		
4	Paper, Carbon, Pencil, Demy, double sided, blue in reams of 500 sheets each, kores No. 5011 quality ..	2 „		
5	Pencil carbon, Kolok No. 7 H.P.	5 „		
6	Carbon, Pencil, Demy $17\ \frac{1}{2}'' \times 22\frac{1}{2}''$ one side Blue in reams of 500 sheets each, kores No. 5011 ..	40 „		
7	Typewriting Carbon, Demy	5 quires		
8	Do Brief $17'' \times 13\frac{1}{2}''$	2 reams		
9	Drawing paper, Double Elephant $27'' \times 40\frac{1}{2}''$ ..	1 quire		

N.B.—Samples should accompany your quotation.

No. S. P. C. 1426-35, *dated* 17*th July* 1939.

To

The Firms dealing in Chlorinators.

Enquiry No. 3554.

CHLORINATOR PLANT FOR CHIKMAGALUR WATER SUPPLY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for one Chlorinator as per description given in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chlorinator for Chikmagalur Water Supply" with the above enquiry number.

This enquiry will be closed on the 7th August 1939.

SCHEDULE.

Specifications of Chlorinator required.

Maximum capacity 10 lbs. of chlorine per 24 hours.

Minimum capacity 1 lb. of chlorine per 24 hours.

The Instrument.—The instrument to consists of one filter, necessary pressure reducing valves, manometer callibrated in lbs. per 24 hours, regulating valve with indicator, moisture-proof outlet valve, and a pressure gauge reading up to 200 lbs. per sq. inch. All to be mounted on an enamelled steel panel and the connecting pipes, etc., to be chromium plated.

Instrument Supports.—The instrument should be supported by an enamelled steel stand provided with floor fixing screws.

Cylinder Connections.—To suit standard English cylinders. One cylinder connecting valve and coil pipe to be provided.

Solutionizor.—Should be cream enamelled, and of glazed and acid resisting stoneware complete with gas inlet connection, vulcanited gas inlet tube, solution inlet connection and suitable graded packing material.

Solution Delivery.—10 feet of 1" bore chlorine-resisting India-rubber-lined hose with two hose clips to be provided.

Piping.—10 feet of ¼" bore piping to connect the instrument to the solutionizer, each with unions. The unions of the compression type, requiring no brazing, screwing or special tools for fixing.

Accessories.—The accessories to include a cylinder key, set of spanners and set of spare manometer glasses and gland rings and one bottle of ammonia.

Testing Apparatus.—One Ortho-Tolidine Testing set consisting of Ortho-Tolidine solution Residual Chlorine Comparator latest type and coloured standard Disc.

General.—All valves to be of glandless, diaphragm type and fitted with renewable silver valve and needles, the latter being self-aligning. Parts in contact with the chlorine to be of suitable alloy to resist corrosion and adequate provision made to prevent ingress of atmospheric moisture. Pressure gauge fitted with silver protecting diaphragms to isolate the working parts from the gas.

1. The prices to be quoted should be for delivery, f.o.r., Chikmagalur.
2. Illustrative leaflets of the chlorinator offered should be sent with the quotation.

No. S. P. C. 1412-25, dated 15th July 1939.

To

The Firms dealing in Steel Racks.

Enquiry No. 3555.

STEEL RACKS FOR THE OFFICE OF THE DIRECTOR OF PUBLIC INSTRUCTION, BANGALORE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Racks for the Office of the Director of Public Instruction, Bangalore" with the above enquiry number.

This enquiry will be closed on the 31st July 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Bangalore.	
	Steel Record Racks 6'-3" high 30" wide and 15" deep with 5 shelves including top and bottom giving four compartments and ends fitted with sheet up-rights	4		

N.B.—The thickness of the sheets used and the dimensions of the angle iron supports should be furnished.

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 17th June 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs :—	Rs. a. p.
4960	Tell Tale Clocks, Zenith ..	3	Gani & Sons, Madras ..	70 0 0 each f.o.r., Mysore.
3474				
4857	Radio Receivers (H.M.V.) American	1 set	Hymamshu & Co., Bangalore	265 0 0 f.o.r., Bangalore.
Extn.				
4962	Chest of Drawers ..	2	The Jubilee Saw Mills & Wood Works, Bangalore City.	55 0 0 each f.o.r., Nandi Hill Station.
3304				
	Chairs, folding ..	30	Do ..	3 8 0 each do
4963	Motor Delivery Van, 10 H.P., Opel and tools.	One	Bangalore Cycle & Motor Co., Bangalore.	2,950 0 0 f.o.r., Bangalore.
4964	Twisting Joints suitable for No. 3/0 B. & S. A.C.S.R. (2 tubes per joint).	100 sets	Callenders Cable & Construction Co., Ltd., Madras.	2 11 0 per set f.o.r., Bangalore.
3349	Twisting Joints suitable for No. 2 B. & S. A.C.S.R. (2 tubes per joint).	100 ,,	Do ..	1 12 6 per set do
	Twisting Joints for No. 4 B. & S. A.C.S.R.	250 ,,	Do ..	1 0 3 per set do
	Compression Joint Assemblies, suitable for 266,800 circular Mil A.C.S.R. consisting of Aluminium Compression Joint.	50	Do ..	7 8 0 each do
4966	Tables, Teakwood, 6′×4′ with 8 turned legs and two drawers on each side with green baize on tops.	2	The Jubilee Saw Mills & Wood Works, Bangalore City.	65 0 0 each f.o.r., Mandya.
4545	Typewriter, "Remington", Model No. 10 Noiseless Brief size with mutual cover, base board and other accessories complete.	One	Remington Rand Inc., Bangalore.	425 0 0 f.o.r., Mysore.
Extn.				
4967	Electric Blower, Portable, G.E.C. V-77 complete with 10 ft. cable 12″ insulated blowing nozzle and a pair of carbon brushes suitable for use one either D.C./A.C. single phase 25-60 cycles and equipped with ball bearings.	One	General Electric Co. (India), Ltd., Bangalore.	157 0 0 delivery at the Stores of the Water Supply Division, Bangalore.
4969	Sheets M.S. 10′×3′×¼″ ..	12	Abdul Shukoor & Co., Bangalore.	11 8 0 per cwt., f.o.r., Bangalore City.
	Flats M.S. 3″×½″ in 18′ length ..	14	M. N. Hussen & Co., Bangalore	7 15 0 per cwt. do
	Angles M.S. 3″×3″×⅜″ in 18′ length	60	Do ..	8 9 0 do do
	Sheets M.S. 8′×4′×¼″ ..	22	Do ..	9 14 0 do do
	Angles M.S. 2½″×2½″×⅜″—20′ length	20	Do ..	8 9 0 do do
	Sheets M.S. 8′×4′×1/16″ ..	20	Do ..	12 1 0 do do
4970	Bridge girders 6 feet clear spans ..	2 spans	Richardson & Cruddas, Madras	150 0 0 per span f.o.r., Shimoga.
3324				
	Do 12 feet do ..	3 ,,	Do ..	396 0 0 do do
	Do 20 feet do ..	4 ,,	Do ..	911 0 0 do do
	Do 60 feet do ..	2 ,,	Do ..	5,995 0 0 do do
4739	Steel Rails, Second Hand of 41¼ lb. section 24 feet long.	45 lengths	M. S. M. Railway, Co. Ltd., Madras.	95 0 0 per ton f.o.r., Chakralapalle.
Extn.				
4971	Anatomy Parts ..	Lot	Adiar Dutt & Co., Madras ..	486 0 0 f.o.r., Mysore.
3391.				
4972	Steel Lockers 6′ 3″ × 36″ × 18″ with 4 adjustable shelves, exclusive top and bottom with double doors, three-way.	6	A Raja Ram, Bangalore City	75 0 0 each, f.o.r., Mysore.
3481				
4973	Binocular Zeiss, inclined attachment, Bitukri E.	One	Adiar Dutt & Co., Madras ..	247 0 0 f.o.r., Mysore.
3430				
4549	Tables 4′ × 2½′ × 2½′ ..	8	Satyanarayana Furniture Hall, Bangalore City.	17 4 0 each delivered free at the New Taluk Office, Bangalore.
Extn.				
4974	Despatch Boxes, cash boxes, etc. ..	Lot	The Commission & General Agency, Bangalore City.	149 0 0 f.o.r., Mandya.
Foreign.				
2830	Magneto Telephone Exchange Board for Shimshapur.	One	Automatic Telephone & Electric Company, Calcutta.	460 0 0 f.o.r., Maddur.
2831	Spares for G.E. Generators, Transformers, etc., at Sivasamudram.	Lot	International General Electric Co. (India), Ltd., Bangalore.	$ 5727·20 c.i.f., Madras.
2066				
2832	Spares for Switchgear for Shimsha New Project.	Lot	Skoda (India), Ltd., Bombay	£ 2100 0 0 c.i.f., Madras.
3328				

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Foreign. 2833	Spares for B.P.L., M.P.L., and K.G.F. Sections.	Lot	Messrs :— International General Electric Co. (India), Ltd., Bangalore.	$ 1509·90 c.i.f., Madras.
3211 2834	Record Rolls for Westinghouse Voltmeter.	16	Westinghouse Electric Co. Ltd., Bombay.	$ 3·00 per roll f.a.s., New York.
2835	Ground Detectors, Electro Static 11″ dial. Switch Board, Pattern Terminals for back connection, for use on a 2300 volts, 25 cycles, 3 phase, 3-wire, ungrounded system, pointer type with graduated scales, but without fuses.	4 Nos.	The Crompton Engineering Co., Ltd., Madras.	£ 15 17 9 each, c.i.f., Madras.

Statement of orders for the week ending Saturday the 24th June 1939.

Local. 4929	Cycle—Hercules Gent's Popular model complete with all parts.	6 Nos.	Messrs :— C. Natarajan & Co., Bangalore City.	Rs. a. p. 48 8 0 each, f.o.r., Bangalore
Extn. 4976	Steel Shelving Racks measuring 5′ 3″ high × 20′ wide × 15″ deep, made of 7 units fixed side to side.	One	The Commission and General Agency, Bangalore City.	797 0 0 the lot delivered and erected free at the Oriental Library, Mysore.
3425	Steel shelving double faced racks, fitted back to back each block measuring 5′ 3″ high × 13′ wide × 30″ deep.	Three		
4977	New 1939 Chevrolet 158½″ W.B. dual Rear chassis fitted with (6) 30 × 5 Heavy Duty tyres and tubes complete as per manufacturer's specification.	One	Automobiles, Ltd., Bangalore	5,831 0 0 the lot f.o.r., Mandya.
4473				
4486	Seaming 3 cord brown tag ..	150 lbs.	The Industrial and Agricultural Engineering Co., Bangalore City.	4 10 0 a lb. f.o.r., Bangalore.
Extn. 4980	Zeiss microscope—stand, ESC 18 with attachable mechanical stage.	One	Baird & Tatlock, Ltd., Calcutta	496 0 0 f.o.r., Bangalore.
3436 4982	Die cases for the monotype casting machine :—			
	(1) Matrices series 1—10 pt. in dia. case × d 8A	1 full set	The Monotype Corporation, Limited, Bombay.	372 11 0 a set
	(2) Matrices series 1—11 pt. in dia. case × d 8A	1 do	Do ..	372 11 0 ,,
	(3) Matrices series 1—12 pt. in dia. case × d 8A	1 do	Do ..	372 11 0 ,,
				Less 10% dis, forwarding charges extra.
4983	Myer's self oiling deep well power pump.	One		
3490	Myer's brass body cylinder ..	One	M. Ramiah, Bangalore City ..	370 0 0 lot, f.o.r., Channapatna.
	Crompton Parkinson 1 H.P. Motor	One		
4984	Doulton's "Belfast" sinks, size 18″ × 12″ × 8″.	8 Nos.	Richardson & Cruddas, Madras	21 14 0 each, f.o.r., Mysore.
3423	Doulton's No. 1669 "Laboratory" sinks size, 16″ × 10″ × 8″ overall.	6 Nos.	Do ..	31 12 0 each do
	No. 3802—Gun Metal Laboratory 2-way stand with ½″ G.M. Bib tap with corrugated nozzle.	16 ,,	Do ..	24 0 0 each do
	No. 111 Gun Metal Laboratory swan neck water tap ½″ with two ½″ side valves.	6 ,,	Do ..	25 8 0 each do
4702	Gun metal scrap—superior quality	10 cwts.	M. N. Hussen & Co., Bangalore	26 0 0 a cwt., f.o.r., Bangalore.
Extn. *Foreign.* 2836	Control Cable—4 conductor, of 19/22 B. & S. twined, annealed, copper strands, insulated with 2 layers of best V.I.R. of thickness not less than 3/64″ (radially).	4500 ft.	Suren Pias & Co., Bombay ..	£ 13 0 0 per 1,000 ft., c.i.f., Madras.
3362 2837	Combined vaccuum and air gap arresters.	75	International General Electric Co. (India), Ltd., Bangalore City.	Rs. 6 0 0 each, c.i.f., Madras.
3329	Combined double pole fused switch and lightning arrester for indoor use.	30	Do ..	70 8 0 each do
2838	60 cell Battery, capacity 300 amp. hours at the 10 hour rate, type J. 8.	One	Amco, Ltd., Bangalore City ..	5,130 0 0 f.o.r., Bangalore.
3316	D.C. Generator sets complete with starting equipment.	2 sets	William Jacks & Co. Ltd., Madras.	1,864 8 0 lot, c.i.f., Madras.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Foreign. 2838			Messrs :—	
	Switch Panel for control of the Generator sets.	One	Wilson & Co., Madras ..	£ 61 3 0 c.i.f., Madras.
3316 2839	Oil circuit breaker, triple pole, single throw, with contacts for 1,200 amps. and a pressure of 15,000 volts, 25 cycles, complete with solenoid operating mechanism, etc.	One	Turner Hoare & Co. Ltd., Bombay.	Rs. 1,210 0 0 c.i.f., Madras.
3377	Current Transformers, air cooled dry insulated type, single phase 25 cycles, amps. 800/5, volts 5,000, volt ampere capacity, 40.	Two	Do ..	Rs. 58 0 0 each do
	Disconnecting switches, S.P.S.T. 1,200 amps, 15,000 volts.	Three	International General Electri Co. (India), Ltd., Bangalore.	$ 121·00 lot, c.i.f., Madras.
2840	L.M. Porcelain series sockte ..	462	Kilburn & Co., Calcutta ..	$ 0·57 each, f.o.b., New York.
3269				
	L.M. 20" radial wave reflector with copper collar.	400	Do ..	$ 1·69 each do
	L.M. series Receptacle with mounting-screws.	5	Do ..	$ 0·54 each do
2841	Post Insulators—Pedestal type ..	70 Nos.	The General Electric Co. (India) Ltd., Madras.	£ 1 6 0 each, c.i.f., Madras.
3374 2804	Lightning Arresters—Siemens Schuckwert, Cathode drop.	123	Siemens (India), Ltd., Madras	Rs. 44 8 0 each, c.i.f., Madras.
Extn. 2808	Disconnecting switches, sprecher and Schuh outdoor type single pole, single throw, 600 amps., 8 k.v. mounted on insulators with channel iron base, etc.	6 Nos.	Volkart Brothers, Madras ..	£ 2 13 6 each, c.i.f., Madras.
Extn.				

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.